

INDEX TO VOLUME 56

AUTHOR INDEX

- Alexander, D. E.** See T. D. Hinesly, 283
Alexander, R. J. See M. C. Baur, 364
Alnaji, L. K., A. M. Kadoum, and J. G. Ponte, Jr. Effect of chlorine bleaching and baking temperature on methyl phoxim and malathion residues in cakes, 245
Anderson, R. A., C. Vojnovich, L. L. Navickis, and E. B. Bagley. Parching studies on wild rice, 371
_____. See G. W. Nofsinger, 120
Avato, P. See G. Bianchi, 491
Axford, D. W. E., E. E. McDermott, and D. G. Redman. Note on the sodium dodecyl sulfate test of breadmaking quality: Comparison with Pelshenke and Zeleny tests, 582
- Bagley, E. B.** See R. A. Anderson, 371
_____. See J. E. McGhee, 128
Bailey, A. V., and G. Sumrell. Pentosans in pearl millet, 295
Baker, F. L. See F. R. Dintzis, 123
Baker, G. W. See P. J. Wan, 352
Banasik, O. J. See J. W. Dick, 480
Barrett, G. L. See T. D. Hinesly, 283
Baruch, D. W., P. Meredith, L. D. Jenkins, and L. D. Simmons. Starch granules of developing wheat kernels, 554
Baur, M. C., and R. J. Alexander. Enzymatic procedure for determination of starch in cereal products, 364
Bean, M. M. See K. D. Nishita, 185
Bechtel, D. B., and Y. Pomeranz. Endosperm structure of barley isogenic lines, 446
Bennink, M. R. See W. Y. Lee, 279
Berardi, L. C., and J. P. Cherry. Preparation and composition of coprecipitated protein isolates from cottonseed, soybean, and peanut flours, 95
Beshgetoor, D. See C. Kies, 133
Bhatty, R. S., and B. G. Rossnagel. Communication to the editor: Oil content of Risø 1508 barley, 586
Bianchi, G., P. Avato, and G. Mariani. Communication to the editor: Composition of surface wax from sorghum grain, 491
Bietz, J. A., J. W. Paulis, and J. S. Wall. Zein subunit hemology revealed through amino-terminal sequence analysis, 326
Biliaderis, C. G., D. R. Grant, and J. R. Vose. Molecular weight distributions of legume starches by gel chromatography, 475
Bjatia, C. R. See R. K. Mitra, 249
Blessin, C. W., W. L. Deatherage, J. F. Cavins, W. J. Garcia, and G. E. Inglett. Preparation and properties of defatted flours from dry-milled yellow, white, and high-lysine corn germ, 105
_____. See R. W. Jones, 441
Boles, H. P. See M. A. Yetter, 243
Bothast, R. J. See T. B. Karki, 41
_____. See J. E. McGhee, 128
Brassard, R. See R. Mongeau, 437
Briley, M. E., L. F. Tribble, and W. L. Starnes. Amino acids in sorghum hydrolysates, 359
Bristol, D. K. See M. E. Zabik, 29
Brown, R. B., G. N. Fulford, T. B. Daynard, A. G. Meiering, and L. Otten. Effect of drying method on grain corn quality, 529
Brunner, J. R. See J. C. Gomes, 525
Burger, W. C. See N. Prentice, 413
Bushuk, W. See Z. Hamauzu, 513
_____. See K. Khan, 63, 505
Butaki, R. C., and B. Dronzek. Comparison of gluten properties of four wheat varieties, 159
_____, and _____. Effect of protein content and wheat variety on relative viscosity, solubility, and electrophoretic properties of gluten proteins, 162
- Campbell, J. A.** See K. Prasad, 122
Carlson, T. L-G., K. Larsson, Y. Miezis, and S. Poovarodom. Phase equilibria in the aqueous system of wheat gluten lipids and in the aqueous salt system of wheat lipids, 417
Carney, J. B., Jr. See K. Prasad, 43, 122
Catsimpoalas, N. See D. S. T. Hsieh, 227
Cavins, J. F. See C. W. Blessin, 105
Chabot, J. F., L. F. Hood, and M. Liboff. Effect of scanning electron microscopy preparation methods on the ultrastructure of white bread, 462
Chang, C. C., and B. G. Kyle. Sorption and desorption kinetics of carbon tetrachloride vapor on wheat kernels, 321
Chang, C. R., and C. C. Tsen. Note on trypsin inhibitor activity in the acetate extract of cereal samples, 493
Chenoweth, W. L. See W. Y. Lee, 279
Cherry, J. P. See L. C. Berardi, 95
Cheryan, M., T. D. McCune, A. I. Nelson, and L. K. Ferrier. Preparation and properties of soy-fortified cereal weaning foods, 548
_____. See O. Omosaiye, 58
Chung, K. H., and Y. Pomeranz. Acid-soluble proteins of wheat flours. II. Binding to hydrophobic gels, 196
Chung, O. K., Y. Pomeranz, E. C. Hwang, and E. Dikeman. Defatted and reconstituted wheat flours. IV. Effects of flour lipids on protein extractability from flours that vary in bread-making quality, 220
Clark, S. P. See P. J. Wan, 352
Clements, R. L. Density fractionation of wheat flours in nonaqueous solvents. I. Effect of flour moisture level on distribution of solids, protein, and ash among fractions, 1
_____. Density fractionation of wheat flours in nonaqueous solvents. II. Behavior of fractions in water, 6
_____. See L. T. Kissell, 11
_____. See W. T. Yamazaki, 584
Conkerton, E. J. See R. R. Mod, 356
Connor, M. A. See P. M. Keagy, 567
- Daoust, H.** See R. J. Wasik, 90
D'Appolonia, B. L. See L. A. MacArthur, 455, 458
_____. See O. Naivikul, 24, 45
_____. See N. Prentice, 413
_____. See M. M. Tabekhia, 79
Daussant, J. See A. W. MacGregor, 541
Davis, A. B., and R. C. Hosoney. Grain sorghum condensed tannis. I. Isolation, estimation, and selective adsorption by starch, 310
_____, and _____. Grain sorghum condensed tannins. II. Preharvest changes, 314
Davis, E. A. See J. Gordon, 50
Davis, G. See C. A. Watson, 137
Daynard, T. B. See R. B. Brown, 529
Deatherage, W. L. See C. W. Blessin, 105
_____. See F. R. Dintzis, 123
Dexter, J. E., and R. R. Matsuo. Changes in spaghetti protein solubility during cooking, 394
_____, and _____. Effect of starch on pasta dough rheology and spaghetti cooking quality, 190
_____, and _____. Effect of water content on changes in semolina proteins during dough-mixing, 15
_____, and B. L. Dronzek. A scanning electron microscopy study of Japanese noodles, 202
Dick, J. W., W. C. Shuey, and O. J. Banasik. Bread-making quality of air-classified hard red spring wheat manipulated flour blends, 480
Dikeman, E. See O. K. Chung, 220
Dintzis, F. R., L. M. Legg, W. L. Deatherage, F. L. Baker, G. E. Inglett, R. A. Jacob, S. J. Reck, J. M. Munoz, L. M. Klevay, H. H. Sandstead, and W. C. Shuey. Human gastrointestinal action on wheat, corn, and soy hull bran—preliminary findings, 123
Djurtoft, R. See A. I. Shadi, 402
Donelson, J. R. See L. T. Kissell, 11
_____. See W. T. Yamazaki, 584
Dronzek, B. L. See R. C. Butaki, 159, 162
_____. See J. E. Dexter, 202
Dubetz, S., and E. E. Gardiner. Effect of nitrogen fertilizer treatments on the amino acid composition of Neepawa wheat, 166
Duffus, C. M., and S. M. Murdoch. Variation in starch granule size distribution and amylose content during wheat endosperm development, 427
- El-Negoumy, A. M., C. W. Newman, and B. R. Moss.** Amino acid composition of total protein electrophoretic behavior of protein fractions of barley, 468

- Fernandes, J. L., W. C. Shuey, and R. D. Maneval.** Bread wheat granular streams with potential for pasta production. II. Effect of crop year, wheat classes, and eggs on processing spaghetti, 520
- Ferrier, L. K.** See M. Cheryan, 548
- Fierke, S. G.** See M. E. Zabik, 29
- Finley, J. W., and G. O. Kohler.** Processing conditions to inhibit lysinoalanine formation in alkaline-treated proteins, 130
- Finney, K. F.** See G. L. Lookhart, 495
See M. D. Shogren, 465
- Finney, P. L.** See G. L. Lookhart, 495
- Fox, H. H.** See S. Gramstorff Fetzer, 34
See C. Kies, 133
- Freeman, D. W., R. S. Kadan, G. M. Ziegler, Jr., and J. J. Spadaro.** Processing factors affecting air classification of defatted cottonseed flour for production of edible protein products, 452
- Fulford, G. N.** See R. B. Brown, 529
- Garcia, W. J.** See C. W. Blessin, 105
- Gardiner, E. E.** See S. Dubetz, 166
- Gavrilyuk, I. P.** See V. G. Konarev, 272
- Gelroth, J. A.** See G. S. Ranhotra, 156, 552
- Gentinetta, E., M. Zambello, and F. Salamini.** Free sugars in developing maize grain, 81
- Ghiassi, K., R. C. Hosney, and D. R. Lineback.** Characterization of soluble starch from bread crumb, 485
- Gomes, J. C., U. Koch, and J. R. Brunner.** Isolation of a trypsin inhibitor from navy beans by affinity chromatography, 525
- Gorczyca, C. G., and M. E. Zabik.** High fiber sugar-snap cookies containing cellulose and coated cellulose products, 537
- Gordon, J., E. A. Davis, and E. M. Timms.** Water-loss rates and temperature profiles of cakes of different starch content baked in a controlled environment oven, 50
- Gramstorff Fetzer, S., C. Kies, and H. M. Fox.** Gastric disappearance of dietary fiber by adolescent boys, 34
- Grant, D. R.** See C. G. Biliaderis, 475
- Greenaway, W. T.** See C. A. Watson, 137
- Gubareva, N. K.** See V. G. Konarev, 272
- Hamauzu, Z., K. Khan, and W. Bushuk.** Studies of glutenin. XIV. Gel filtration and sodium dodecyl sulfate electrophoresis of glutenin solubilized in sodium stearate (Hamauzu et al), 513
- Hibberd, G. E., and N. S. Parker.** Nonlinear creep and creep recovery of wheat-flour doughs, 232
- Hinesly, T. D., V. Sudarski-Hack, D. E. Alexander, E. L. Ziegler, and G. L. Barrett.** Effect of sewage sludge applications on phosphorus and metal concentrations in fractions of corn and wheat kernels, 283
- Hizukuri, S.** See A. Suzuki, 257
- Hood, L. F.** See J. F. Chabot, 462
- Hosney, R. C., K. H. Hsu, and R. C. Junge.** A simple spread test to measure the rheological properties of fermenting dough, 141
See A. B. Davis, 310
See K. Ghiassi, 485
See K. H. Hsu, 419, 424
See A. C. Johnson, 333, 336, 443
See D. J. Mauro, 152
- Hsieh, D. S. T., C. Lin, E. R. Lang, N. Catsimopoulos, and C. K. Rha.** Molecular-weight distribution of soybean globulin peptides produced by peptic hydrolysis, 227
- Hsu, K. H., R. C. Hosney, and P. A. Seib.** Frozen dough. I. Factors affecting stability of yeasted doughs, 419
_____, _____, and _____. Frozen dough. II. Effects of freezing and storing conditions on the stability of yeasted doughs, 424
See R. C. Hosney, 141
- Huebner, F. R., and J. S. Wall.** Polysaccharide interactions with wheat proteins and flour doughs, 68
- Hughes, J. W.** See B. S. Miller, 213
- Hwang, E. C.** See O. K. Chung, 220
- Ibrahim, R. H.** See E. I. Mousa, 563
- Inglett, G. E.** See C. W. Blessin, 105
See F. R. Dintzis, 123
See R. W. Jones, 441
See H. C. Nielsen, 144
- Jacob, R. A.** See F. R. Dintzis, 123
- Jeffers, H. C., G. Noguchi, and G. L. Rubenthaler.** Effects of legume fortifiers on the quality of udon noodles, 573
- Jenkins, L. D.** See D. W. Baruch, 554
- Johnson, A. C., and R. C. Hosney.** Chlorine treatment of cake flour. II. Effect of certain ingredients in the cake formula, 336
_____, _____, and _____. Chlorine treatment of cake flours. III. Fractionation and reconstitution techniques for Cl₂-treated and untreated flours, 443
_____, _____, and E. Varriano-Marston. Chlorine treatment of cake flours. I. Effect of lipids, 333
- Johnson, J. A.** See A. Rasheed Khan, 303
- Jones, R. W., L. H. Krull, C. W. Blessin, and G. E. Inglett.** Neutral sugars of hemicellulose fractions of pith from stalks of selected plants, 441
- Junge, R. C.** See R. C. Hosney, 141
- Kaba, H.** See D. Krivoruchco, 217
- Kadan, R. S.** See D. W. Freeman, 452
- Kadoun, A. M.** See L. K. Alnaji, 245
- Karki, T. B., R. J. Bothast, and R. D. Stubblefield.** Note on microbiological and aflatoxin analyses of cereal grains from the Tarai Plain of southern Nepal, 41
- Keagy, P. M., M. A. Connor, and T. F. Schatzki.** Regression analysis of thiamin and color changes in enriched cookies using factorial design, 567
- Keim, K., and C. Kies.** Effects of dietary fiber on nutritional status of weanling rats, 73
- Khan, K., and W. Bushuk.** Studies of glutenin. II. Comparison of sodium dodecyl sulfate-polyacrylamide gel electrophoresis of unreduced and reduced glutenin from various isolation and purification procedures, 63
_____, and _____. Studies of glutenin. XIII. Gel filtration, isoelectric focusing, and amino acid composition studies, 505
- Khan, W.** See Z. Hamauzu, 513
- Kies, C., H. M. Fox, and D. Beshgetoor.** Effect of various levels of dietary hemicellulose on zinc nutritional status of men, 133
_____. See S. Gramstorff Fetzer, 34
_____. See K. Keim, 73
- Kilborn, R. H., and K. H. Tipples.** The effect of oxidation and intermediate proof on work requirements for optimum short-process bread, 407
- Kissell, L. T., J. R. Donelson, and R. L. Clements.** Functionality in white layer cake of lipids from untreated and chlorinated patent flours. I. Effects of free lipids, 11
_____, and N. Prentice. Protein and fiber enrichment of cookie flour with brewer's spent grain, 261
_____, and W. T. Yamazaki. Cake-baking dynamics: Relation of flour-chlorination rate to batter expansion and layer volume, 324
- Klevay, L. M.** See F. R. Dintzis, 123
- Koch, U.** See J. C. Gomes, 525
- Kohler, G. O.** See J. W. Finley, 130
- Konarev, V. G., I. P. Gavrilyuk, N. K. Gubareva, and T. I. Peneva.** Seed proteins in genome analysis, cultivar identification, and documentation of cereal genetic resources: A review, 272
- Kosmolak, F. G.** See B. A. Marchylo, 361
- Krivoruchco, D., H. Kaba, M. E. Sambucetti, and J. C. Sanahuja.** Maturation time and some seed composition characters affecting nutritive value in soybean varieties, 217
- Kruger, J. E.** Modification of wheat β -amylase by proteolytic enzymes, 298
_____, P. M. Ranum, and A. W. MacGregor. Note on the determination of α -amylase with the Perkin Elmer Model 191 grain amylase analyzer, 209
- Krull, L. H.** See R. W. Jones, 441
- Kwolek, W. F., and O. L. Shotwell.** Aflatoxin in white corn under loan. V. Aflatoxin prediction from weight percent of bright greenish-yellow fluorescent particles, 342
_____. See A. M. Nash, 473
- Kyle, B. G.** See C. C. Chang, 321
- Lang, E. R.** See D. S. T. Hsieh, 227
- Larmond, E.** See P. W. Voisey, 346
- Larsson, K.** See T. L-G. Carlson, 417
- Lee, C.** See G. S. Ranhotra, 156, 552
- Lee, M. S.** See B. S. Miller, 172
- Lee, W. Y., M. R. Bennink, and W. L. Chenoweth.** Steroid metabolism, transit time, and cecal bacteria in rats fed corn or wheat bran, 279
- Legg, L. M.** See F. R. Dintzis, 123
- Leggatt, M. M.** See P. R. Shewry, 110
- Leklem, J. E.** See A. D. Perera, 577
- Liboff, M.** See J. F. Chabot, 462
- Lin, C.** See D. S. T. Hsieh, 227
- Lineback, D. R.** See K. Ghiassi, 485
- Loewe, R. J., and P. Ranum.** Note on a semiautomated colorimetric determination of iron in cereals, 581
- Lookhart, G. L.** Note on an improved method of extracting and quantitating coumestrol from soybeans, 386
_____, P. L. Finney, and K. F. Finney. Note on coumestrol in soybeans and fractions at various germination times, 495

- Lorenz, K.** See J. Skovron, 599
- Lorer, E. F.** See R. D. Reichert, 181
- MacArthur, L. A., and B. L. D'Appolonia.** Comparison of oat and wheat carbohydrates. I. Sugars, 455
 _____, and _____. Comparison of oat and wheat carbohydrates. II. Starch, 458
- MacGregor, A. W.** Isolation of large and small granules of barley starch and a study of factors influencing the adsorption of barley malt α -amylase by these granules, 430
 _____, and **J. Daussant.** Evolution of α -amylase components during initial stages of barley germination with and without prior steeping, 541
 _____ See J. E. Kruger, 209
- Mahmoud, R. M.** See F. Sosulski, 533
- Maneval, R. D.** See J. L. A. Fernandes, 520
 _____ See E. I. Mousa, 563
- Marchylo, B. A., and F. G. Kosmolak.** An evaluation of the rapid amylograph method, 361
- Mariani, G.** See G. Bianchi, 491
- Martin, C.** See R. J. Wasik, 90
- Matlock, S. W.** See P. J. Wan, 352
- Matsuo, R. R.** See J. E. Dexter, 15, 190, 202, 394
- Matthews, J.** See J. I. Wadworth, 499
- Mauro, D. J., D. L. Wetzel, P. A. Seib, and R. C. Hosoney.** Determination of a surfactant (sodium 6-*o*-palmitoyl-L-ascorbate) in bread by high performance liquid chromatography, 152
- McCune, T. D.** See M. Cheryan, 548
- McDermott, E. E.** See D. W. E. Axford, 582
- McDonald, C. E.** Lipoxygenase and lutein bleaching activity of durum wheat semolina, 84
- McGhee, J. E., E. B. Bagley, and R. J. Bothast.** Treating corn with aqua ammonia: Effect on meal constituents, 128
- McGinty, R. J.** See C. A. Watson, 137
- Meiering, A. G.** See R. B. Brown, 529
- Meredith, P.** See D. W. Baruch, 554
- Miezis, Y.** See T. L-G. Carlson, 417
- Mifflin, B. J.** See P. R. Shewry, 110
- Miller, B. S.** Note on the evaluation of hard white winter wheat bran, 118
 _____, **J. W. Hughes, R. Rousser, and Y. Pomeranz.** Note on a method for measuring breakage susceptibility of shelled corn during handling, 213
 _____, **M. S. Lee, Y. Pomeranz, and R. Rousser.** A rapid, objective method to measure the degree of milling of rice, 172
- Miller, J.** Ferrous sulfate iron absorption from diets containing wheat flour and shorts by anemic rats, 253
- Miller, L. T.** See A. D. Perera, 577
- Mitra, R. K., C. R. Bhatia, and R. Rabson.** Bioenergetic cost of altering the amino acid composition of cereal grains, 249
- Mod, R. R., E. J. Conkerton, R. L. Ory, and F. L. Normand.** Composition of water-soluble hemicelluloses in rice bran from four growing areas, 356
- Mongeau, R., and R. Brassard.** Determination of neutral detergent fiber, hemicellulose, cellulose, and lignin in breads, 437
- Moss, B. R.** See A. M. El-Negoumy, 468
- Mousa, E. I., R. H. Ibrahim, W. C. Shuey, and R. D. Maneval.** Influence of wheat classes, flour extractions, and baking methods on Egyptian Balady bread, 563
- Munoz, J. M.** See F. R. Dintzis, 123
- Murdoch, S. M.** See C. M. Duffus, 427
- Naivikul, O., and B. L. D'Appolonia.** Carbohydrates of legume flours compared with wheat flour. II. Starch, 24
 _____, and _____. Carbohydrates of legume flours compared with wheat flour. III. Nonstarchy polysaccharides, 45
- Nash, A. M., W. F. Kwolek, and W. J. Wolf.** Extraction of proteins from steamed soybean meal with water and aqueous 2-mercaptoethanol, 473
- Navickis, L. L.** See R. A. Anderson, 371
- Nelson, A. I.** See M. Cheryan, 548
- Newman, C. W.** See A. M. El-Negoumy, 468
- Nielsen, H. C., J. S. Wall, and G. E. Inglett.** Flour containing protein and fiber made from wet-mill corn germ, with potential food use, 144
- Nishimura, N., K. Okubo, and K. Shibasaki.** Chemical and physical properties of 13S globulin, the major protein in sesame seeds, 239
 _____ See K. Okubo, 100, 317
- Nishita, K. D., and M. M. Bean.** Physicochemical properties of rice in relation to rice bread, 185
- Nofsinger, G. W., and R. A. Anderson.** Note on inactivation of aflatoxin in ammonia-treated shelled corn at low temperatures, 120
- Noguchi, G.** See H. C. Jeffers, 573
- Normand, F. L.** See R. R. Mod, 356
- Okubo, K., N. Nishimura, and K. Shibasaki.** Composition of sesame seed protein components and purification of the main globulin, 100
 _____, _____, and _____. Separation of the 13S globulin in sesame seeds into two groups of acidic and basic subunits, and their physicochemical properties, 317
 _____ See N. Nishimura, 239
- Omosaiye, O., and M. Cheryan.** Low-phytate, full-fat soy protein product by ultrafiltration of aqueous extracts of whole soybeans, 58
- Ory, R. L.** See R. R. Mod, 356
- Otten, L.** See R. B. Brown, 529
- Padhye, V. W., and D. K. Salunkhe.** Extraction and characterization of rice proteins, 389
- Parker, N. S.** See G. E. Hibberd, 232
- Paton, D.** See J. R. Quinn, 38
 _____ See P. W. Voisey, 346
- Paulis, J. W., and J. S. Wall.** Distribution and electrophoretic properties of alcohol-soluble proteins in normal and high-lysine sorghums, 20
 _____, and _____. Note on mill for pulverizing single kernels of cereals for isoelectric focusing, 497
 _____ See J. A. Bietz, 327
- Peneva, T. I.** See V. G. Konarev, 272
- Perera, A. D., J. E. Leklem, and L. T. Miller.** Stability of vitamin B₆ during bread making and storage of bread and flour, 577
- Pomeranz, Y.** See D. B. Bechtel, 446
 _____ See K. H. Chung, 196
 _____ See O. K. Chung, 220
 _____ See B. S. Miller, 172, 213
 _____ See M. D. Shogren, 465
- Ponte, J. G., Jr.** See L. K. Alnaji, 245
- Poovarodom, S.** See T. L-G. Carlson, 417
- Prasad, K., C. A. Watson, and J. B. Carney, Jr.** Communication to the editor: Rapid nephelometric determination of alpha-amylase activity in sprouted wheat kernels, 43
 _____, _____, and _____. Addendum to above, 122
- Pratt, H. M.** See P. R. Shewry, 110
- Prentice, N., W. C. Burger, and B. L. D'Appolonia.** Rolled high-lysine barley in breakfast cereal, cookies, and bread, 413
 _____ See L. T. Kissell, 261
- Quinn, J. R., and D. Paton.** A practical measurement of water hydration capacity of protein materials, 38
- Rabson, R.** See R. K. Mitra, 249
- Ranhotra, G. S., C. Lee, and J. A. Gelroth.** Bioavailability of iron in high-cellulose bread, 156
 _____, _____, and _____. Bioavailability of zinc in cookies fortified with soy and zinc, 552
- Ranum, P. M.** See J. E. Kruger, 209
 _____ See R. J. Loewe, 581
- Rasheed Khan, A., J. A. Johnson, and R. J. Robinson.** Degradation of starch polymers by microwave energy, 303
- Reck, S. J.** See F. R. Dintzis, 123
- Redman, D. G.** See D. W. E. Axford, 582
- Reichert, R. D.** The pH-sensitive pigments in pearl millet, 291
 _____, **E. F. Lorer, and C. G. Youngs.** Village-scale mechanical dehulling of cowpeas, 181
 _____, and **C. G. Youngs.** Bleaching effect of acid on pearl millet, 287
- Rha, C. K.** See D. S. T. Hsieh, 227
- Richardson, T.** See D. Skogberg, 147
- Robinson, R. J.** See A. Rasheed Khan, 303
- Rooney, L. W.** See J. F. Scheuring, 545
- Rosnagel, B. G.** See R. S. Bhatta, 586
- Rousser, R.** See B. S. Miller, 172, 213
- Rubenthaler, G. L.** See H. C. Jeffers, 573
- Salamini, F.** See E. Gentinetta, 81
- Salunkhe, D. K.** See V. W. Padhye, 389
- Sambucetti, M. E.** See D. Krivoruchko, 217
- Sanahuja, J. C.** See D. Krivoruchko, 217
- Sandstead, H. H.** See F. R. Dintzis, 123
- Saunders, R. M.** See M. A. Yetter, 243
- Schatzki, T. F.** See P. M. Keagy, 567
- Scheuring, J. F., and L. W. Rooney.** A staining procedure to determine the extent of bran removal in pearled sorghum, 545
- Sedeh, H. G.** See B. Singh, 267
- Sefa-Dedeh, S., and D. W. Stanley.** Microstructure of cowpea variety Adua Ayera, 367
 _____, and _____. The relationship of microstructure of

- cowpeas to water absorption and dehulling properties, 379
- Seib, P. A.** See K. H. Hsu, 419, 424
 _____ See D. J. Mauro, 152
- Shadi, A. I., and R. Djurtoft.** Studies of rice proteins by crossed immunoelectrophoresis, gel electrophoresis, and isoelectric focusing, 402
- Shewry, P. R., H. M. Pratt, M. M. Leggatt, and B. J. Mifflin.** Protein metabolism in developing endosperms of high-lysine and normal barley, 110
- Shellenberger, J. A.** See A. B. Ward, 434
- Shepherd, A. D.** Laboratory abrasive decorticating mill for small grains, 517
- Shibasaki, K.** See N. Nishimura, 239
 _____ See K. Okubo, 100, 317
- Shogren, M. D., Y. Pomeranz, and K. F. Finney.** Low-lactose bread, 465
- Shotwell, O. L.** See W. F. Kwolek, 342
- Shuey, W. C.** See J. W. Dick, 480
 _____ See F. R. Dintzis, 123
 _____ See J. L. A. Fernandes, 520
 _____ See E. I. Mousa, 563
- Simmons, L. D.** See D. W. Baruch, 554
- Singh, B., and H. G. Sedeh.** Characteristics of phytase and its relationship to acid phosphatase and certain minerals in triticale, 267
- Skogberg, D., and T. Richardson.** Preparation and use of an enzyme electrode for specific analysis of L-lysine in cereal grains, 147
- Skovron, J., and K. Lorenz.** Enzymatic activities in proso millets, 559
- Sosulski, F., and R. M. Mahmoud.** Effects of protein supplements on carbonyl compounds and flavor in bread, 533
- Spadaro, J. J.** See D. W. Freeman, 452
 _____ See K. I. Wadsworth, 499
- Stanley, D. W.** See S. Sefa-Dedeh, 367, 379
- Starnes, W. L.** See M. E. Briley, 359
- Stubblefield, R. D.** See T. B. Karki, 41
- Sudarski-Hack, V.** See T. D. Hinesly, 283
- Sumrell, G.** See A. V. Bailey, 295
- Suzuki, A., and S. Hizukuri.** Basic studies on cooking potatoes. II. Effect of potato extract on the interrelation of gelatinization-retrogradation of potato starch, 257
- Tabekhia, M. M., and B. L. D'Appolonia.** Effects of processing steps and baking on thiamine, riboflavin, and niacin levels in conventional and continuous produced bread, 79
- Timms, E. M.** See J. Gordon, 50
- Tipples, K. H.** See R. H. Kilborn, 407
- Tribble, L. F.** See M. E. Briley, 359
- Tsen, C. C.** See C. R. Chang, 493
- Tweeten, T. N., and D. L. Wetzel.** High performance liquid chromatographic analysis of fatty acid derivatives from grain and feed extracts, 398
- Varriano-Marston, E.** See A. C. Johnson, 333
- Voisey, P. W., D. Paton, and E. Larmond.** Apparatus for monitoring cake structure development during baking, 346
- Vojnovich, C.** See R. A. Anderson, 371
- Vose, J. R.** See C. G. Biliaderis, 475
- Wadsworth, J. I., J. Matthews, and J. J. Spadaro.** Physical and physicochemical properties of Starbonnet variety rice fractionated by rough rice kernel thickness, 499
- Wall, J. S.** See J. A. Bietz, 327
 _____ See F. R. Huebner, 68
 _____ See H. C. Nielsen, 144
 _____ See J. W. Paulis, 20, 497
- Wan, P. J., G. W. Baker, S. P. Clark, and S. W. Matlock.** Characteristics of sunflower seed and meal, 352
- Ward, A. B., J. A. Shellenberger, and D. L. Wetzel.** Particle size and particle size distribution of wheat samples prepared with different grinders, 434
- Wasik, R. J., H. Daoust, and C. Martin.** Studies of glutenin solubilized in high concentrations of sodium stearate, 90
- Watson, C. A., W. T. Greenaway, G. Davis, and R. J. McGinty.** Rapid proximate method for determining moisture content of single kernels of corn, 137
 _____ See K. Prasad, 43, 122
- Wetzel, D. L.** See D. J. Mauro, 152
 _____ See T. N. Tweeten, 398
 _____ See A. B. Ward, 434
- Wheeler, E. L.** Quantitative determination of sodium stearoyl-2-lactylate in soy-fortified wheat-flour blends, 236
- Williams, P. C.** Screening wheat for protein and hardness by near infrared reflectance spectroscopy, 169
- Wolf, W. J.** See A. M. Nash, 473
- Yamazaki, W. T., J. R. Donelson, and R. L. Clements.** Note on the effect of bran lipids on cookie quality, 584
 _____ See L. T. Kissell, 324
- Yetter, M. A., R. M. Saunders, and H. P. Boles.** α -Amylase inhibitors from wheat kernels as factors in resistance to postharvest insects, 243
- Youngs, C. G.** See R. D. Reichert, 181, 287
- Zabik, M. E., S. G. Fierke, and D. K. Bristol.** Humidity effects on textural characteristics of sugar-snap cookies, 29
 _____ See C. G. Gorczyca, 537
- Zambello, M.** See E. Gentinetta, 81
- Ziegler, E. L.** See T. D. Hinesly, 283
- Ziegler, G. M., Jr.** See D. W. Freeman, 452