

Subject Index

Pages of errata are in italics.

- Acid
 - hydrochloric-; effect on types of proteins extracted from barley (El-Negoumy et al), 429
- Aflatoxin
 - contamination of preharvest sorghum (McMillian et al), 226
- Aggregation
 - of gliadin fractions mediated by lipids (Békés et al), 379
- Akara
 - compositional, physical, sensory characteristics (McWatters), 333
- Alkali
 - sodium hydroxide; effect on types of proteins extracted from barley (El-Negoumy et al), 429
- α -Amylase
 - binding of calcium (Jacobsen and Slotfeldt-Ellingsen), 392
 - catalyzed starch granule hydrolysis by cycloheptaamylose (Weselake and Hill), 98
 - determination in wheat flour; nephelometric and Phadebas methods compared (Hsu and Varriano-Marston), 46
 - interaction of purified bean glycoprotein with insect amylase (Powers and Culbertson), 427
 - resistivity of new barley starches with fragmented granules (DeHaas et al), 327
 - separation of barley malt by chromatofocusing (Marchylo and MacGregor), 311
- Amino acids
 - in brewers condensed solubles (Sebree et al), 147
 - composition of cultivars of wheat, oats, barley, rye, triticale, soybean, and wheat forage (Morey and Evans), 461
 - composition of wheat, wheat milling fractions, and botanical constituents of wheat (Jensen and Martens), 172
 - 4-hydroxy-proline in plants, communication to the editor (Willemot and Jones), 332
 - sequence; conformation of corn zein and glutelin fractions with (Wu et al), 342
 - in sprouted wheat flour (Lorenz et al), 360
- Ammonia
 - gaseous; for treatment of flour (Terada et al), 90
- Amylose
 - characterization of quinoa starch (Atwell et al), 9
 - content of lily starch and structure (Takeda et al), 212
- Ash
 - computerized HRS wheat cumulative ash curves (Lillard and Hertsgaard), 42
- Baking
 - angel food cakes; xanthan gum and reduced-egg-white levels (Miller and Setser), 62
 - breads from winged bean composite; nutritional quality of (Nmorka and Okezie), 198
 - cake; foam drainage in batter (Mizukoshi), 399
 - cake; rice flour treatment for (Bean et al), 445
 - cake; silicone effect on foam stability of batter (Mizukoshi), 396
 - cookies; from soft white wheat flour, standing vs. lodging (Pumphrey and Rubenthaler), 268
 - development and "undevelopment" of wheat dough by mixing; physicochemical studies (Paredes-Lopez and Bushuk), 19
 - effects of gamma radiation, on properties of (MacArthur and D'Appolonia), 456
 - laboratory method for *chapaties* (Ebeler and Walker), 270
 - layer cakes using aspartame with and without fructose (Hess and Setser), 337
 - quick breads; soy or field pea flour incorporation in (Raidl and Klein), 367
 - techniques to evaluate Pacific Northwest wheats in North African breads (Faridi and Rubenthaler), 74
 - of wheat-oat composite flours (Oomah), 220
- Barley
 - amino acid composition of (Morey and Evans), 461
 - α -amylases in germinated barley (Marchylo and MacGregor), 311
 - fragmented granule starches in new varieties (DeHaas et al), 327
 - glutamic acid decarboxylase activity as measure of percent germination for (Lamkin et al), 166
 - kernel lysine distinguished, communication to the editor (Ahokas), 330
 - mycotoxin and odor formation in (Abramson et al), 350
- Bioavailability
 - in vitro method for trace elements (Jacobsen and Slotfeldt-Ellingsen), 392
 - of magnesium in mineral- and soy-fortified breads (Winterringer and Ranhotra), 14, 184
- Bran
 - effect on cookie quality (Jeltema et al), 227
 - genetic and nongenetic variation of minerals in wheat cultivars (Peterson et al), 450
- Bread and breadmaking
 - baked from field-sprouted wheat flour (Lorenz et al), 360
 - bread baked from ammonia-treated flour (Terada et al), 90
 - chapaties*; soy flour and sucrose-ester emulsifier effect on (Ebeler and Walker), 270
 - date syrups as sugar substitute (Al-Zubaydi et al), 56
 - distillers' dried grain as bread ingredient (Tsen et al), 295
 - effect of succinylated wheat protein on quality (Thompson and Baker), 71
 - effects of germination on characteristics (Morad and Rubenthaler), 413
 - flat; Pacific Northwest wheats in (Faridi and Rubenthaler), 74
 - of flour containing vomitoxin (Scott et al), 421
 - Grain Research Laboratory compression tester description and application to measure crumb properties (Kilborn et al), 134
 - Pelshenke test to estimate bread-making properties of hard winter wheats (Monsivais et al), 51
 - quality; aqueous by-products from starch for improving (El-Saied and El-Farra), 131
 - refreshening role (Pisesookbunterng et al), 301
 - soy-fortified-; bioavailability of magnesium (Winterringer and Ranhotra), 14, 184
 - surfactant effect on staling (Pisesookbunterng and D'Appolonia), 298
 - wheat-oat flour for (Oomah), 220
 - winged bean composite; nutritional quality of (Nmorka and Okezie), 198
- Cakes and cookies
 - angel food cakes; xanthan gum and reduced-egg-white levels (Miller and Setser), 62
 - cake-baking; rice flour treatment for (Bean et al), 445
 - cakes; foam drainage in batter (Mizukoshi), 399
 - cakes; silicone effect on foam stability of batter (Mizukoshi), 396
 - cakes; using aspartame with and without fructose (Hess and Setser), 337
 - cookies; quality prediction from dietary fiber components (Jeltema et al), 227
 - model cake systems; enthalpy changes in (Cloke et al), 143
 - sponge cake baked from ammonia-treated flour (Terada et al), 90
- Carbohydrates
 - in brewers condensed solubles (Sebree et al), 147
- Cassava
 - textural modification of flour (Abraham et al), 7
- Cereal
 - breakfast; determination of fiber in by NIR (Baker), 217
 - dietary fiber determination (Frølich and Hestagen), 82
- Cereal grains
 - amino acid composition of (Morey and Evans), 461
 - fluorescence microscopy of sorghum cell walls (Earp et al), 408
- Corn
 - cooking characteristics of, for tortillas (Bedolla et al), 263
 - dry milling of ammonia preserved, ambient air-dried high moisture (Peplinski et al), 442
 - glutelin and zein; conformation, optical rotatory dispersion, circular dichroism (Wu et al), 342
 - grain; effects on quality and composition from plants exposed to ozone (Garcia et al), 388
 - modifier gene(s) effect(s) on proteins and endosperm hardness of *opaque-2* (Ortega and Bates), 107
 - ninhydrin color test for screening (Sung and Lambert), 84
 - slow drying of; microbial growth inhibition during (Eckhoff et al), 185
 - stillage; reverse osmosis of (Wu et al), 248
 - zein; polymorphism (Landry and Sallantin), 242
- Cornstarch
 - physicochemical changes in, as function of extrusion variables (Owusu-Ansah et al), 319

- Cowpeas
 compositional, physical, sensory characteristics of paste, flour (McWatters), 333
- Date products
 syrups from dates used in breadmaking (Al-Zubaydi et al), 56
- Dehulling
 sorghum grain size (Wills and Ali), 12
- Dough
 effects of gamma radiation of wheat, on (MacArthur and D'Appolonia), 456
 wheat-; development and "undevelopment" by mixing, microscopic structure (Paredes-Lopez and Bushuk), 24
 wheat-; development and "undevelopment" by mixing, physicochemical studies (Paredes-Lopez and Bushuk), 19
- Drying
 of corn; microbial growth inhibition during (Eckhoff et al), 185
- Electrophoresis
 electrofocusing of modified hard-endosperm *opaque-2* proteins (Ortega and Bates), 107
 of gliadins, modification of methodology (Khan et al), 178
 of oat globulins, comparison among cultivars of different protein content and through development (Robert et al), 231
 of purified bean glycoprotein and insect amylase (Powers and Culbertson), 427
 of rye secalins (Shewry et al), 1
 of ultracentrifuge separated gluten proteins (Jones et al), 276
 wheat protein subunits, relation to protein content (Fullington et al), 65
 zein fractionation on Ultrogel Ac44 (Landry and Sallantin), 242
- Enzymes
 α -amylase resistivity of new varieties of barley starches (DeHaas et al), 327
 digestive; inhibition by indigestible polysaccharides (Ikeda and Kusano), 260
 glutamic acid decarboxylase activity as measure of percent germination for barley (Lamkin et al), 166
 reduction of viscosity of brewers condensed solubles with cellulase and β -glucanase (Sebree et al), 151
 separation of barley malt α -amylase by chromatofocusing (Marchylo and MacGregor), 311
- Errata
 Bemiller and Pratt (Vol. 58, p. 518), 254
 Huang, Finn, and Varriano-Marston (Vol. 59, pp. 496, 500), 92
 instructions to authors (Vol. 60, p. iii), 184
 Jones, Lookhart, Hall, and Finney (Vol. 59, p. 181), 184
 Ranhotra, Vetter, Gelroth, and Novak (Vol. 60, p. 325), 464
 Winterringer and Ranhotra (Vol. 60, p. 14), 184
- Extrusion
 variables; physicochemical changes in cornstarch as function of (Owusu-Ansah et al), 319
- Fiber
 dietary; determination of different cereal products on Norwegian market (Frølich and Hestagen), 82
 dietary; inhibitory effects on activities of digestive enzymes (Ikeda and Kusano), 260
 in processed cereal foods, NIR for determination (Baker), 217
- Flour
 containing vomitoxin; use in breadmaking (Scott et al), 421
 distillers' dried grain as bread ingredient (Tsen et al), 295
 gaseous ammonia-treated (Terada et al), 90
 genetic and nongenetic variation of minerals in wheat cultivars (Peterson et al), 450
 soy or pea; effects on chemically leavened quick breads (Raidl and Klein), 367
 soybean; sensory and volatile characteristics (Warner et al), 102
 of sprouted wheat; functionality of (Lorenz et al), 360
 of sprouted wheat; rheological properties (Kulp et al), 355
 wheat; α -amylase in, nephelometric and Phadebas methods compared (Hsu and Varriano-Marston), 46
 wheat; mineral and protein contents of (Pomeranz and Dikeman), 80
 wheat-oat composite; baking and related properties of (Oomah), 220
 winged bean, triticale, and wheat; nutritional quality of baked products made from (Nmorka and Okezie), 198
- Gelatinization
 of potato and wheat starches (Donovan et al), 381
- Germination
 of barley; glutamic acid decarboxylase activity as measure of (Lamkin et al), 166
 effect on oats and oat protein (Wu), 418
 effects on breadbaking, crumb firmness, and staling (Morad and Rubenthaler), 413
 modification of sorghum endosperm (Glennie et al), 27
 in relation to caryopsis characteristics of wheat (Huang et al), 161
- Gliaden
 aggregation of A-gliaden, gel permeation chromatography, microfibrils (Cole et al), 306
 computer analysis of electrophoregrams (Lookhart et al), 111
 electrophoresis in Na-lactate (Khan et al), 178
 protein-lipid complexes in (Békés et al), 371
 reversible aggregation mediated by lipids (Békés et al), 379
- Gluten
 effect of lipids on gliadin-glutenin ratio in bread wheat (Békés et al), 371
 fractionation by ultracentrifugation (Jones et al), 276
 screening test for estimation of strength in durum wheat breeding lines (Dick and Quick), 315
 wheat; effect of glutaraldehyde, potassium bromate, ascorbic acid, and cysteine on rheological properties (Mita and Bohlin), 93
- Gum
 xanthan; and reduced-egg-white levels in angel food cakes (Miller and Setser), 62
- Instructions to authors, iii, (Vol. 60, No. 2)
- Instruments and instrumentation
 farinograph; effect of succinylated wheat concentrate on characteristics (Thompson and Baker), 71
 HPLC determination of free fatty acids in lipid extracts (Tweeten and Wetzel), 411
 for measuring textural characteristics of noodles (Oh et al), 433
 mineral assay in wheat grain by energy dispersive x-ray spectrometry (Peterson et al), 450
- Isoelectric focusing
 of barley protein fractions (El-Negoumy et al), 429
- Legumes
 heat inactivation of trypsin inhibitor in kintoki bean (Tsukamoto et al), 194
 kintoki beans; purification and characterization of three trypsin inhibitors (Tsukamoto et al), 281
- Lily
 properties of starch (Takeda et al), 212
- Lipase
 oat grains and milled oat fraction activity; localization (Urquhart et al), 181
- Lipids
 in brewers condensed solubles (Sebree et al), 147
 distribution and effect on protein subunit composition in gliadin (Békés et al), 371
 free fatty acid determination in extracts (Tweeten and Wetzel), 411
 role in protein aggregation in gliadin fraction (Békés et al), 379
 wax; in rice bran (Ito et al), 252
- Lysine
 method for distinguishing between high-lysine and normal-lysine barley kernels, communication to the editor (Ahokas), 330
 in sorghum; rapid methods for estimating (Jambunathan et al), 192
- Magnesium
 in breads (Winterringer and Ranhotra), 14, 184
 phytate complexes; solubility characteristics (Cheryan et al), 235
- Methods
 chromatofocusing of iso-inhibitors in kintoki beans (Tsukamoto et al), 281
 computer for wheat cultivar identification (Lookhart et al), 111
 to determine phytate in wheat products and fecal samples (Ellis and Morris), 121
 differential scanning calorimetry; effect of flour components and dough ingredients on starch gelatinization (Ghiasi et al), 58
 for distinguishing between high-lysine and normal-lysine barley kernels, communication to the editor (Ahokas), 330
 evaluation of emulsifiers and soy flours in *chapaties* (Ebeler and Walker), 270
 instrumental measurement of spaghetti stickiness (Dexter et al), 139
 model studies of cake baking; foam drainage in cake batter (Mizukoshi), 399
 model studies of cake baking; silicone effect on foam stability of batter (Mizukoshi), 396
 ninhydrin color test for screening maize (Sung and Lambert), 84
 NIR for determining fiber in processed cereal foods (Baker), 217

- Pelshenke test for estimating bread-making properties of hard winter wheats (Monsivais et al), 51
- phosphorus detection on starch by graphite furnace atomic absorption (Hogen), 403
- rapid, for detection of sprouting in wheat kernel populations (Jensen and Law), 406
- rice stickiness determination with Instron tester (Mossman et al), 286
- rice stickiness; Instron for varietal comparisons (Fellers et al), 292
- separation of barley malt α -amylase by chromatofocusing (Marchylo and MacGregor), 311
- Microbiology**
- microbial growth inhibition during slow drying of corn (Eckhoff et al), 185
- Microscopy**
- fluorescence; in sorghum cell walls (Earp et al), 408
- Millet**
- anatomy and histochemistry of (Irving), 155
- milling process to produce low-fat grits (Abdelrahman et al), 189
- proso-; tannins and phytate content in (Lorenz), 424
- Milling**
- HRS wheat cumulative ash curves and relative milling value by computer analysis (Lillard and Hertsgaard), 42
- of hard red spring wheat; effect on vomitoxin (Scott et al), 421
- high moisture corn preserved with ammonia and dried with ambient air (Peplinski et al), 442
- manual decortication in wooden mortar and pestle, laboratory milling related to pericarp thickness (Scheuring et al), 86
- milled oat fractions; localization of lipase activity (Urquhart et al), 181
- process to produce low-fat grits from pearl millet (Abdelrahman et al), 189
- relationship between wheat kernel hardness and break flour yield (Yamazaki and Donelson), 344
- standing vs. lodging of soft white wheat (Pumphrey and Rubenthaler), 268
- Minerals**
- in brewers condensed solubles (Sebree et al), 147
- content in flour and bran seed fractions of wheat cultivars (Peterson et al), 450
- in wheat and flour (Pomeranz and Dikeman), 80
- Moisture**
- imbibition by wheat in relation to caryopsis characteristics (Huang et al), 161
- in stored barley; mycotoxin and odor formation in (Abramson et al), 350
- in wheat; effect of mutual interactions on estimation of (Williams and Norris), 202
- Mycotoxins**
- formation in stored barley (Abramson et al), 350
- Oats**
- amino acid composition of (Morey and Evans), 461
- characterization and functionality of protein concentrates from (Ma), 36
- effect of germination on (Wu), 418
- electrophoretic and developmental characterization of globulins (Robert et al), 231
- electrophoretic characterization of prolamins (avenins) (Robert et al), 438
- localization of lipase activity in grains and milled fractions (Urquhart et al), 181
- Ozone**
- ambient at chronic levels; effect on field-grown corn (Garcia et al), 388
- Particle size**
- of rice, effect of environmental changes on (Chen and Kunze), 238
- Pasta**
- instrumental measurement of stickiness (Dexter et al), 139
- modified screening test for estimation of gluten strength in durum wheat breeding lines (Dick and Quick), 315
- noodles; measuring textural characteristics of (Oh et al), 433
- pH**
- effect of, on mixograph studies (Hoseney and Brown), 124
- Phenolic acids**
- HPLC separation and relation to fungal resistance of sorghum (Hahn et al), 255
- Phytate**
- in proso millets (Lorenz), 424
- Phytic acid**
- binding of trace elements to (Jacobsen and Slotfeldt-Ellingsen), 392
- improved ion-exchange method (Ellis and Morris), 121
- solubility characteristics (Cheryan et al), 235
- Pizza**
- frozen; sodium in (Ranhotra et al), 325, 464
- Polysaccharides**
- indigestible; inhibitory effects on activities of digestible enzymes (Ikeda and Kusano), 260
- Prolamins**
- oat-; characterization of cultivars of different protein content and from developing seeds (Robert et al), 438
- Protein**
- A-gliadin, wheat storage protein, aggregation studies (Cole et al), 306
- corn; optical rotatory dispersion, circular dichroism, conformation (Wu et al), 342
- corn zein; polymorphism (Landry and Sallantin), 242
- electrofocusing of; from modified hard-endosperm *opaque-2* (Ortega and Bates), 107
- high and low protein wheats, effect on composition (Fullington et al), 65
- oat concentrate; characterization and functionality (Ma), 36
- oat globulins; electrophoretic analysis of different cultivars and during development (Robert et al), 231
- purification and characterization of three trypsin inhibitors from kintoki beans (Tsukamoto et al), 281
- SDS-PAGE and IEF study of oat prolamins (avenins) of mature and developing seeds (Robert et al), 438
- in sorghum; rapid methods for estimating (Jambunathan et al), 192
- succinylated whey concentrate, farinograph characteristics and bread quality (Thompson and Baker), 71
- in wheat; effect of mutual interactions on estimation of (Williams and Norris), 202
- in wheat and flour (Pomeranz and Dikeman), 80
- Rheology**
- chemically modified wheat gluten (Mita and Bohlin), 93
- effects of gamma radiation of wheat (MacArthur and D'Appolonia), 456
- Grain Research Laboratory compression tester description and application to measure bread-crumbs properties (Kilborn et al), 134
- viscosity; volume fraction behavior for corn and wheat starch (Christianson and Bagley), 116
- Rice**
- bran; wax lipid in (Ito et al), 252
- flour; for cake-baking (Bean et al), 445
- stickiness determination with Instron tester (Mossman et al), 286
- varietal comparisons with Instron method (Fellers et al), 292
- yield and particle size affected by environmental changes (Chen and Kunze), 238
- Rye**
- amino acid composition of (Morey and Evans), 461
- extraction, separation, and polymorphism of prolamins storage proteins of (Shewry et al), 1
- Scanning electron microscopy**
- anatomical study of channel millet seed (Irving), 155
- of sorghum endosperm (Glennie et al), 27
- of sorghum; pericarp thickness related to decortication (Scheuring et al), 86
- of wheat (Huang et al), 161
- Secalins**
- extraction, separation, and polymorphism (Shewry et al), 1
- Sodium**
- in frozen pizzas (Ranhotra et al), 325, 464
- Sorghum**
- cooking characteristics of, for tortillas (Bedolla et al), 263
- decortication in wooden mortar and pestle (Scheuring et al), 86
- dehulling and grain size (Wills and Ali), 12
- endosperm modification during germination (Glennie et al), 27
- fluorescence microscopy of cell walls (Earp et al), 408
- phenolic acids of, HPLC separation and relation to fungal resistance (Hahn et al), 255
- preharvest fungal invasion of grain (Seitz et al), 127
- preharvest; mycotoxin contamination in Southeast (McMillian et al), 226
- rapid methods for estimating protein and lysine (Jambunathan et al), 192
- Soybeans**
- amino acid composition of cultivars (Morey and Evans), 461
- curd formation, varietal variation (Wang et al), 245
- protein; sensory and volatile characteristics (Warner et al), 102
- rate of hydration during soaking (Hsu et al), 208
- Staling**
- bread; refreshing role (Pisesookbunterng et al), 301
- bread; surfactant effect (Pisesookbunterng and D'Appolonia), 298
- Grain Research Laboratory compression tester to measure bread-crumbs properties (Kilborn et al), 134

- Starch**
 aqueous by-products for improving bread quality (El-Saied and El-Farra), 131
 corn; viscosity of dispersions (Christianson and Bagley), 116
 detection of phosphorus added to or occurring naturally on (Hogen), 403
 effect of flour components and dough ingredients on gelatinization (Ghiasi et al), 58
 fragmented barley starch granules (DeHaas et al), 327
 gelatinization and phase transitions of heat-moisture treated (Donovan et al), 381
 granule hydrolysis inhibition by cycloheptaamylose (Weselake and Hill), 98
 lily; physicochemical properties (Takeda et al), 212
 physicochemical properties from sprouted wheat (Kulp et al), 355
 quinoa, characterization of (Atwell et al), 9
 wheat; enthalpy changes in model cake systems (Cloke et al), 143
 wheat starch granule (particle) size distribution; nonlinear description (Baruch et al), 32
- Storage**
 prevention of rancidity in rat diets, communication to the editor (Lohrey), 254
 of rat diets for long-term feeding, communication to the editor (Briggs), 92
- Sugar**
 effect on starch gelatinization (Ghiasi et al), 58
 fructose with aspartame in layer cakes (Hess and Setser), 337
- Surfactants**
 effect on bread staling (Pisesookbunterng and D'Appolonia), 298
 refreshing role in bread staling (Pisesookbunterng et al), 301
 silicone effects on foam drainage in cake batter (Mizukoshi), 399
 silicone effects on foam stability of cake batter (Mizukoshi), 396
- Tannins**
 in proso millets (Lorenz), 424
- Tofu**
 varietal effect on yield and quality (Wang et al), 245
- Tortillas**
 cooking characteristics of sorghum and corn for (Bedolla et al), 263
- Triticale**
 amino acid composition of cultivars (Morey and Evans), 461
- Trypsin inhibitor**
 heat inactivation of in kintoki bean (Tsukamoto et al), 194
- Ultracentrifugation**
 fractionation of gluten proteins (Jones et al), 276
- Ultrafiltration**
 reverse osmosis of corn stillage (Wu et al), 248
- Ultrastructure**
 development and "undevelopment" of wheat dough by mixing; microscopic structure (Paredes-Lopez and Bushuk), 24
 of sorghum endosperm (Glennie et al), 27
- Viscosity**
 brewers condensed solubles (Sebree et al), 151
 dependence on volume fraction of corn and wheat starch dispersions (Christianson and Bagley), 116
- Vitamins**
 in brewers condensed solubles (Sebree et al), 147
- Volatiles**
 during storage of rat diets, communication to the editor (Briggs), 92
 in soybean protein products (Warner et al), 102
- Wheat**
 aggregation of gliadin subunits with wheat lipids (Békés et al), 371, 379
 amino acid composition of botanical constituents (Jensen and Martens), 172
 amino acid composition of cultivars (Morey and Evans), 461
 caryopsis structural and imbibitional characteristics (Huang et al), 161
 containing vomitoxin; milling of (Scott et al), 421
 cultivar identification by computer analysis (Lookhart et al), 111
 durum; measurement of spaghetti stickiness (Dexter et al), 139
 durum; modified screening test for estimation of gluten strength in (Dick and Quick), 315
 effect of mutual interactions on estimation of protein and moisture in (Williams and Norris), 202
 electrophoresis in variety identification (Khan et al), 178
 evaluation in North African breads (Faridi and Rubenthaler), 74
 gamma radiation, effects on dough and baking properties (MacArthur and D'Appolonia), 456
 hard winter; Pelschenke test for estimating bread-making properties of (Monsivais et al), 51
 heat-moisture treated wheat starch, calorimetry of (Donovan et al), 381
 HRS; cumulative ash curves and relative milling value by computer analysis (Lillard and Hertsgaard), 42
 kernel hardness affected by moisture and protein (Yamazaki and Donelson), 344
 lodging effects on yield, milling, and baking (Pumphrey and Rubenthaler), 268
 mineral and protein contents of (Pomeranz and Dikeman), 80
 protein content, effect on electrophoresis patterns (Fullington et al), 65
 sprouting detection by rapid method (Jensen and Law), 406
 starch granule (particle) size distribution; nonlinear description (Baruch et al), 32
 winter; field sprouting of (Kulp et al), 355
 winter; preharvest sprouting of (Lorenz et al), 360
- Wheat forage**
 amino acid composition of (Morey and Evans), 461
- Zearalenone**
 contamination of preharvest sorghum (McMillian et al), 226
- Zein**
 corn; conformation of (Wu et al), 342
 corn; size and charge heterogeneity (Landry and Sallantin), 242
 electrofocusing of; and zeinlike proteins from modified hard-endosperm *opaque-2* (Ortega and Bates), 107