

Subject Index

- Acknowledgment of reviewers, v
- Air classification, of wheat flour (Wu et al), 421
- Alkylresorcinols, in U.S. and Canadian wheats and flours (Hengtrakul et al), 413
- Alveograph curve, first derivative, parameters (Addo et al), 64
- Amaranth
- evaluation of lime heat treatment on some physicochemical properties of (Vargas-Lopez et al), 417
 - grain, effect of germination on chemical composition and nutritive value of (Colmenares de Ruiz and Bressani), 519
 - iron bioavailability in native Nigerian grain (Whittaker and Ologunde), 505
- Amino acids
- composition of setarin II, α -setarin and β -setarin (Naren et al), 32
 - of pin-milled and air-classified fractions of legumes (Han and Khan), 384
- α -Amylase, effect on spaghetti making (Dexter et al), 405
- Amylograph-viscograph, pasting of pea flour slurries (Lin et al), 14
- Amylopectin
- effect on starch granule swelling (Tester and Morrison), 551
 - fine structure in selected maize genotypes in inbred lines (Sanders et al), 594
 - fragmentation resulting from twin-screw extrusion (Wen et al), 268
- Amylose
- effect on starch granule swelling (Tester and Morrison), 551
 - from maize, wheat, peas, and potatoes (Sievert and Pomeranz), 217
 - viscoelastic behavior of aging starch gels, effects of concentration, temperature, and starch hydrolysates on (Biliaderis and Jawistowski), 240
- Antibody, probing gluten structure with monoclonal (Skerritt and Robson), 250
- Bagels, conventional and microwave heated (Umbach et al), 355
- Bakery products, selenium in, in Finland (Euroola et al), 334
- Baking
- cake, effect of ingredients on batter viscosity (Shelke et al), 575
 - effect of water-solubles on gluten (Dreese and Hoseny), 400
 - hamburger buns, comparison of hard white and red wheats (Lang and Walker), 197
 - hard red winter wheat quality (Graybosch et al), 342
 - measurement of dough expansion during, experimental heat sink oven (Kilborn et al), 443
 - microwave, computer vision for real time estimation of volume increase during (Levine et al), 104
 - quality of residual flour after farina removal (Dexter et al), 39
 - relationship of quality factors to individual wheat endosperm, polypeptides as separated by two-dimensional electrophoresis (Dougherty et al), 564
- Barley
- nutritional properties of carbohydrates (Björck et al), 327
 - waxy, paste properties and freeze-thaw stability from distarch phosphates of (Wu and Seib), 202
- Beans
- dry edible
 - functional properties of pin-milled and air-classified fractions (Han and Khan), 390
 - pin-milling and air classification (Han and Khan), 384
- Bread and breadmaking
- bagels, heat and water transport, moisture content, longitudinal relation rate, SEM (Umbach et al), 355
 - bread crumb
 - rheological properties of, effect of storage time, temperature, and position in loaf (Persaud et al), 92
 - surfactant and reheating effects on dynamic rheological properties of (Persaud et al), 182 - Chinese steamed bread lab test (Rubenthaler et al), 471
 - Colombian bread properties affected by formula variations and dough development methods (Dexter et al), 46
 - comparison of Chinese and Canadian spring wheat cultivars (Lukow et al), 170
 - determination of quality by RP-HPLC (Scanlon et al), 395
 - dough expansion measured, heat sink oven (Kilborn et al), 443
 - effects of interactions between yeast and lactic acid bacteria used as starters in wheat flour doughs on bread quality (Martinez-Anaya

- et al), 85
 firming, effect of moisture and long-term storage (He and Hosney), 603
 hamburger buns, comparison of hard white and red wheats (Lang and Walker), 197
 laboratory sprouting of hard red spring wheat effects on (Ariyama and Khan), 53
 loaf quality affected by cassava variety and flour concentration (Almazan), 97
 sonication and SE-HPLC for small-scale test (Singh et al), 161
 soy polysaccharide effect on (Sievert et al), 10
 steam bread (Bean et al), 307
 testing slices in tension mode (Nussinovitch et al), 101
 texture after reheating (Rogers et al), 188
 Bulgur, corn, effects of maturation stage and cooking form on (Elgün et al), 1
- Cakes**
 baking, effect of ingredients on batter viscosity (Shelke et al), 575
 high-fructose corn syrup (Marx et al), 502
 pan type, microwave vs. conventional heating (Baker et al), 448
 sugar and emulsifier types, microwave heating (Baker et al), 451
- Cereal**
 breakfast, assay for β -glucan (Carr et al), 226
 effects of selenium fertilization in Finland (Eurola et al), 334
 iron fortification of native Nigerian amaranth grain (Whittaker and Ologunde), 505
- Cereal grains, assay for β -glucan in (Carr et al), 226**
- Cholesterol**
 effects of dietary sugar beet fiber and wheat bran on (Klopfenstein), 538
 influence of rice bran, oat bran, and wheat bran (Kahlon et al), 439
- Cookies**
 chlorinated flour fraction effect on spread (Donelson), 99
 fiber incorporation, effects on moisture, color, and sensory score (Artz et al), 303
 sugar-snap, influence of chemical and physical modification of soft wheat protein on dough consistency, cookie size, and hardness (Gaines), 73
- Corn**
 mechanical damage to kernels, sitostanyl ferulate as indicator (Seitz), 305
 moisture distribution during drying (Song and Litchfield), 580
 physical properties
 after oil spraying for dust suppression (Peplinski et al), 232
 of various components in (Song et al), 322
 sieving effect on breakage susceptibility measurements (Herum et al), 548
 starch, intra- and interpopulation variability of thermal properties (White et al), 70
 sweet, maturation stage and cooking effects on bulgur products (Elgün et al), 1
 yellow dent, breakage susceptibility and dry-milling characteristics of, hardness and temperature effects (Kirleis and Strohshine), 523
- Corn distillers' grains, sensory evaluation of (Wu et al), 585**
- Corn meal, twin-screw extrusion effect on carbohydrate and protein structure (Wen et al), 268**
- Corn starch, native and extrusion-cooked, properties of (Chinnaswamy and Hanna), 490**
- Cowpeas, nutritive quality of (Obizoba), 230**
- Crackers**
 dough properties measured with Kramer shear cell (Creighton and Hosney), 107
 flour quality measured with Kramer shear cell (Creighton and Hosney), 111
- Density, measurement of corn (Song et al), 322**
- Differential scanning calorimetry**
 of annealed starches (Knutson), 376
 determination of temperature and enthalpy of denaturation of soy glycinin (Zarins and Marshall), 35
 of enzyme-resistant starch (Sievert and Pomeranz), 217
 measurement of thermal properties of maize starch from different populations (White et al), 70
 starch and sugar-water interaction (Johnson et al), 286
 of whole grain milled rice, to measure starch gelatinization (Marshall et al), 458
- Dough**
 bagels, moisture content, longitudinal relaxation rate, SEM (Umbach et al), 355
- cracker, use of Kramer shear cell to measure properties (Creighton and Hosney), 107
 effect of development procedure on Colombian bread properties (Dexter et al), 46
 fermentative activity of combinations of pure yeasts and lactic acid bacteria in wheat flour doughs (Martinez-Anaya et al), 85
 rheological properties of, factors affecting (Harinder and Bains), 588
 rheology, benefits of basic rheometry in studies of (Weipert), 311
 sugar-snap cookie consistency, influence of chemical and physical modification of soft wheat protein on (Gaines), 73
 wheat flour
 rheology of low- to intermediate-moisture (Mackey and Ofoli), 221
 simplified nonlinear model for describing viscoelastic properties of (Launay), 25
- Drying, magnetic resonance imaging of sweet corn (Song and Litchfield), 580**
- Electron spin resonance**
 hydration of whey protein-wheat starch systems as measured by (Schanen et al), 124
 lipid binding of whey protein-wheat starch-water systems as measured by (Schanen et al), 317
 modified corn starches, lipid binding (Johnson et al), 236
 starch and sugar-water interaction (Johnson et al), 286
- Electrophoresis**
 of gliadins and glutenins of Chinese and Canadian wheats (Lukow et al), 170
 identification of wheats carrying wheat-rye chromosomal translocations (Graybosch et al), 342
 PAGE, of salt-soluble proteins of soft wheats (Clements), 264
 SDS-PAGE identification of high molecular weight proteins in glutenin (Kazemie and Bushuk), 148
 two-dimensional with image analysis, of wheat flour proteins (Dougherty et al), 564
- Emulsifiers, cakes, microwave heating (Baker et al), 451**
- Enzymes, effect of α -amylase on spaghetti-making quality (Dexter et al), 405**
- Extrusion**
 characterization of starch by aqueous HPSEC (Jackson et al), 529
 fiber functional properties and cookies (Artz et al), 303
 rheological behavior of wheat dough extrudates (Mackey and Ofoli), 221
- Extrusion cooking**
 corn starch as processing variable, functional property interrelationships (Chinnaswamy and Hanna), 490
 for wheat flour transformation (Barrès et al), 427
- Fermentation, hydrophobicity effects of soluble glutenin (Shiiba et al), 350**
- Fertilization, effects of selenium application on Finnish cereal grains, flour, and bread (Eurola et al), 334**
- Fiber**
 cookie moisture, color, and sensory score (Artz et al), 303
 dietary
 nutritional properties of, in barley genotypes (Björck et al), 327
 nutritional properties of sugar beet fiber and wheat bran (Klopfenstein), 538, 542
 from rice bran, oat bran, and wheat bran, effects on cholesterol and triglycerides (Kahlon et al), 439
 total and soluble, in bakery and other cereal products (Ranhotra et al), 499
- Fish oil, added to biscuits, hypolipidemic agent in hypercholesterolemic rats (Ranhotra et al), 213**
- Flour**
 alkylresorcinols in (Hengtrakul et al), 413
 analysis by HPLC of gliadins (Endo et al), 480
 cassava, effect of variety and concentration on bread loaf quality (Almazan), 97
 comparison of hard red spring and winter wheats by RP-HPLC (Endo et al), 486
 cracker, quality measured with Kramer shear cell (Creighton and Hosney), 111
 high α -amylase, factors affecting rheological properties of dough (Harinder and Bains), 588
 for high-fructose corn syrup cakes (Marx et al), 502
 in steamed bread (Bean et al), 307
 waxy rice, muffin characteristics (Johnson), 114
 wheat
 cell wall material from (Cruppen et al), 512
 chlorination of (Seguchi), 258

- extrusion cooking effect (Barrès et al), 427
oxidative gelation of water-solubles (Moore et al), 81
viscosity of water extracts (Moore and Hosney), 78
- Fractionation**
aqueous, of untreated and chlorinated flours (Donelson), 99
of hard red winter wheat grain proteins (Graybosch et al), 342
- Gelatinization**
of rice starch, annealed, native (Tester and Morrison), 558
of starch, effects of degree of milling and lipid removal on brown rice kernels (Champagne et al), 570
thermal behavior during, for selected maize genotypes in four inbred lines (Sanders et al), 594
- Germination**
effect on chemical composition and nutritive value of amaranth grain (Colmenares de Ruiz and Bressani), 519
legumes, nutritive quality of (Obizoba), 230
- Gliadin**
changes during maturation of kernels (Huebner et al), 464
immunological homologies (Skerritt and Robson), 250
- β -Glucan**, assay of, in grains and breakfast cereals (Carr et al), 226
- Gluten**
changes during maturation of kernels (Huebner et al), 464
effect of water-solubles on baking and rheological properties (Dreese and Hosney), 400
proportion in total proteins as measure of breadmaking quality (Singh et al), 161
proteins, analysis of structural relationships (Skerritt and Robson), 250
quality, evaluation by different methods (D'Egidio et al), 275
SDS and CTMAB effect on solubility (Kazemie and Bushuk), 148
shear degradation by sonication and dough mixing (Singh et al), 150
- Glutenin**, low and high molecular weight subunits (Skerritt and Robson), 250
- Grain**, quality characteristics of export rices (Juliano et al), 192
- Hardness**
maize, adjusting for moisture content (Dorsey-Redding et al), 292
ultrastructure of protein matrix in wheat (Glenn and Saunders), 176
of wheat, relation to air-classification yields and flour particle size distribution (Wu et al), 421
- High-fructose corn syrup**, cakes made with all-purpose and cake flour (Marx et al), 502
- HPLC**, analysis of polypeptides affected by fermentation (Shiiba et al), 350
- Instructions to authors**, iii
- Iron**, utilization, in rats fed sugar beet fiber and wheat bran (Klopfenstein), 542
- Jajoba meal**, detoxified and debittered, biological evaluation and physicochemical characterization (Medina and Trejo-Gonzalez), 476
- Legumes**
functional properties of pin-milled and air-classified fractions (Han and Khan), 390
nutritive quality of (Obizoba), 230
pin-milling and air classification (Han and Khan), 384
- Lipidemic responses**, in rats fed oat bran or oat bran concentrate (Ranhotra et al), 509
- Lipids**
effect of on retrogradation of cooked rice (Hibi et al), 7
effect on starch granule swelling (Tester and Morrison), 551
extraction from wheat flour gluten (Donelson), 99
removal effect on starch gelatinization of whole grain milled rice (Marshall et al), 458
- Lipoxygenase**, interaction with hydrophobicity of soluble glutenin during fermentation (Shiiba et al), 350
- Loaf volume**, potential predicted from alveograph parameters (Addo et al), 64
- Maize**
adjustment of quality data for moisture content (Dorsey-Redding et al), 292
common and quality protein (Bressani et al), 515
genotypes, thermal behavior during gelatinization and amylopectin fine structure for (Sanders et al), 594
starch, annealing of (Knutson), 376
- Methods**
enzymatic, for β -glucan in breakfast cereals and grains (Carr et al), 226
- for real time measurement of volume increase during microwave baking (Levine et al), 104
single-grain classification for wheat (Glenn and Saunders), 176
- Microscopy**, of wheat endosperm starch (Bechtel et al), 59
- Microwave heating**, batters
pan type (Baker et al), 448
sugar and emulsifier types (Baker et al), 451
- Millet**, Italian, methionine-rich proteins of (Naren et al), 32
- Milling**
chemical composition of fractions of Mexican rice varieties during (Sotelo et al), 209
Chinese and Canadian wheat differences (Lukow et al), 170
comparison of hard red spring and winter wheats (Endo et al), 480, 486
degree of, effects on starch gelatinization in brown rice kernel (Champagne et al), 570
dry
of oil-sprayed corn for dust suppression (Peplinski et al), 232
quality of artificially dried corn varying in hardness (Kirleis and Strohine), 523
of fissured rice, yields (Velupillai and Pandey), 118
quality of residual flour after farina removal (Dexter et al), 39
- Moisture**
maize quality data adjusted for (Dorsey-Redding et al), 292
measurement of distribution in corn during drying (Song and Litchfield), 580
true and bulk densities of corn affected by (Song et al), 322
- Muffins**, waxy rice flour, characteristics of (Johnson), 114
- NIR spectroscopy**, hardness scores for Klasic white wheat (Bean et al), 307
- NMR imaging**, to measure moisture transport during corn drying (Song and Litchfield), 580
- Noodles**, Chinese wet, formulation, response surface methodology study (Shelke et al), 338
- Oat bran**
hypocholesterolemic effect in hamsters (Kahlon et al), 439
lipidemic responses on rats fed (Ranhotra et al), 509
- Oven**, heat sink, for measurement of dough expansion during baking (Kilborn et al), 443
- Particle size**
of dietary sugar beet (Klopfenstein), 538, 542
distribution of wheat flour (Wu et al), 421
- Pasta**
prediction of cooking quality at low and high drying temperatures (D'Egidio et al), 275
spaghetti making, effects due to α -amylase (Dexter et al), 405
- Pea flour**, pasting characteristics of (Lin et al), 14
- Pentosans**
oxidative gelation (Moore et al), 81
viscosity of flour-water extracts (Moore and Hosney), 78
water-insoluble, of wheat, composition and physical properties (Michniewicz et al), 434
- Physicochemical properties**, effect of lime heat treatment on amaranth flour (Vargas-Lopez et al), 417
- Porridge**, sorghum, thick, alkaline (Bello et al), 20
- Proanthocyanidins**, isolation from wheat bran (McCallum and Walker), 282
- Protein**
durum wheat, role of protein content in cooking quality of pasta dried at low and high temperatures (D'Egidio et al), 275
effect on viscoelastic properties of rice (Hamaker and Griffin), 261
interaction with starch (Eliasson and Tjerneld), 366
methionine-rich, isolation and characterization of low molecular weight, from Italian millet (Naren et al), 32
removal effect on starch gelatinization of whole grain milled rice (Marshall et al), 458
salt-soluble, of soft wheats (Clements), 264
soft wheat, influence of chemical and physical modification of, on sugar-snap cookie dough consistency, cookie size, and hardness (Gaines), 73
solubility in reheated bread (Rogers et al), 188
- Response surface methodology**
for biscuit sensory characteristics (Stanyon and Costello), 545
for evaluation of lime heat treatment on physicochemical properties of amaranth (Vargas-Lopez et al), 417
- Retrogradation**, lipid effect on, of rice starch (Hibi et al), 7

- Rheology**
bread crumb properties, effects of storage time, temperature, and position in loaf (Persaud et al), 92
dynamic properties of bread crumb, surfactant and reheating effects (Persaud et al), 182
effect of flour strength, water content, mixing time, and measuring temperature on wheat flour dough (Launay), 25
effect of water-solubles on gluten (Dreese and Hoseneý), 400
of low- to intermediate-moisture whole wheat flour doughs (Mackey and Ofoli), 221
of wheat and rye bread doughs (Weipert), 311
- Rice**
brown, starch gelatinization in, effects of degree of milling and lipid removal on (Champagne et al), 570
export, grain quality characteristics of exported (Juliano et al), 192
fissured, impact on mill yields (Velupillai and Pandey), 118
lipid effect on retrogradation of (Hibi et al), 7
Mexican varieties of, chemical composition of after milling (Sotelo et al), 209
protein influence on stickiness (Hamaker and Griffin), 261
starch gelatinization measured in whole grain milled, lipid and protein removal from (Marshall et al), 458
starch granule swelling and gelatinization (Tester and Morrison), 558
- Rice bran, hypocholesterolemic effect in hamsters (Kahlon et al), 439**
- RP-HPLC**
cluster analysis of chromatograms for wheat cultivar identification (Endo et al), 486
environmental influence on wheat storage proteins (Marchylo et al), 372
of gliadins and reduced glutenins (Huebner et al), 464
separation of storage proteins for differentiation of HRS and HRW wheats (Endo et al), 480
wheat protein separation, assessment of breadmaking quality (Scanlon et al), 395
- Rye**
alkylresorcinols in (Hengtrakul et al), 413
endosperm, localization of γ -secalins by immunocytochemistry (Krishnan et al), 360
- Scanning electron microscopy, of bagels, conventional and microwave heated dough (Umbach et al), 355**
- SDS-PAGE**
analyses of starch granule proteins for softness determination (Bakhella et al), 246
investigation of polypeptide structural changes during twin-screw extrusion (Wen et al), 268
separation of HMW and LMW subunits of glutenin by two-step electrophoresis (Singh et al), 161
of solubility and HPLC fractions of wheat proteins (Singh et al), 150
- SE-HPLC**
fractionation of total flour proteins from diverse cultivars (Singh et al), 150
for predicting breadmaking quality (Singh et al), 161
- Selenium, in Finnish cereal grains, flour, and bread (Eurola et al), 334**
- Shortening, effect on Colombian bread properties (Dexter et al), 46**
- Sonication, for extraction of total flour proteins without reducing agents (Singh et al), 150**
- Sorghum**
physical and chemical properties (Bello et al), 20
tannin-containing, nutritional improvement of, using sodium bicarbonate (Banda-Nyirenda and Vohra), 533
- Soy glycinin, thermal denaturation in presence of 2-mercaptoethanol (Zarins and Marshall), 35**
- Soy meal, measuring trypsin inhibitor in (Stauffer), 296**
- Staling, effect of moisture and long-term storage (He and Hoseneý), 603**
- Starch**
aging gels, viscoelastic behavior of, effects of concentration, temperature, and starch hydrolysates on network properties (Biliaderis and Zawistowski), 240
corn, lipid binding of, by electron spin resonance (Johnson et al), 236
corn and sorghum, aqueous HPSEC characterization of extruded (Jackson et al), 529
enzyme-resistant, DSC studies (Sievert and Pomeranz), 217
fragmentation resulting from twin-screw extrusion of corn meal (Wen et al), 268
granule surface proteins from chlorinated wheat flours (Seguchi), 258
granules, swelling and gelatinization (Tester and Morrison), 551
interaction with proteins (Eliasson and Tjerneld), 366
maize, gelatinization of, annealing of (Knutson), 376
nutritional properties of, in barley genotypes (Björck et al), 327
phosphates from waxy barley, paste properties and freeze-thaw stability (Wu and Seib), 202
rice, swelling and gelatinization (Tester and Morrison), 558
sorghum, gel properties (Bello et al), 20
sugar-water interactions, electron spin resonance studies (Johnson et al), 286
thermal properties of cornstarch from different populations (White et al), 70
wheat endosperm development (Bechtel et al), 59
- Storage**
effect on bread firmness and moisture (He and Hoseneý), 603
effect on breadmaking properties of hard red spring wheat (Ariyama and Khan), 53
- Sugar**
effect on Colombian bread properties (Dexter et al), 46
electron spin resonance, influence on starch hydration (Johnson et al), 286
- Surfactants, effect on dynamic rheological properties of bread crumb (Persaud et al), 182**
- Testing, bread slices in tension mode (Nussinovitch et al), 101**
- Tortillas, changes in nutrients and protein quality (Bressani et al), 515**
- Triticale, alkylresorcinols in (Hengtrakul et al), 413**
- Trypsin inhibitors, measurement of, in soy meal (Stauffer), 296**
- Viscoelasticity, elastic properties of dough in simple shear (Launay), 25**
- Viscosity**
cake batter, oscillatory rod viscometric measurement of (Shelke et al), 575
effect of protein disruption on (Hamaker and Griffin), 261
- Wheat**
alkylresorcinols in (Hengtrakul et al), 413
analysis of proteins during grain maturation (Huebner et al), 464
bran, isolation of proanthocyanidins (McCallum and Walker), 282
Chinese and Canadian cultivars, milling, rheological, and end-use quality of (Lukow et al), 170
durum, effect on spaghetti-making quality of α -amylase (Dexter et al), 405
endosperm associated with grain texture, properties of (Glenn and Saunders), 176
flour
cell wall material from (Gruppen et al), 512
extrusion cooking effect (Barrès et al), 427
measurement of dough expansion during bread baking, heat sink oven (Kilborn et al), 443
hard red spring, laboratory sprouted, effect on breadmaking (Ariyama and Khan), 53
hard red spring and winter
quality characteristics of (Endo et al), 480
statistical evaluation (Endo et al), 486
hard red winter, baking quality (Graybosch et al), 342
hard white, classification of (Bean et al), 307
hard white and red winter, compared in hamburger buns (Lang and Walker) 197
hardness, relation to air-classification yields and flour particle size distribution (Wu et al), 421
Moroccan, hardness of (Bakhella et al), 246
pentosans of, composition and properties (Michniewicz et al), 434
quality of residual flour after farina removal (Dexter et al), 39
separation of endosperm proteins by two-dimensional electrophoresis (Dougherty et al), 564
soft, electrophoresis (PAGE) of salt-soluble proteins (Clements), 264
starch, isolation and development (Bechtel et al), 59
starch granule surface proteins from chlorinated wheat flours (Seguchi), 258
storage proteins, quantitative influence of environment by RP-HPLC (Marchylo et al), 372
- Wheat bran**
effect on biscuit sensory characteristics (Stanyon and Costello), 545
effects on calcium and iron utilization (Klopfenstein), 542
effects on rat serum and liver lipids and fecal characteristics (Klopfenstein), 538
functional properties, soy polysaccharide effect on (Sievert et al), 10
hypocholesterolemic effect in hamsters (Kahlon et al), 439
- Wheat starch-wheat protein systems, hydration measured by electron spin resonance (Shanen et al), 124**
- Yeast, relationship with lactic acid bacteria in wheat flour dough and baking performance (Martinez-Anaya et al), 85**